Blucain by BLUENIX

MODEL BLMI-1300R MODULAR











Produces up to 873 lbs of ice daily

Units produce individual crescent ice cubes.



Durable stainless steel cabinet and evaporator

with removable air filter.



Easy cleaning system

No special tools necessary to navigate our "one touch" cleaning feature.



Digital Self Diagnostic System

Power switch is accessible without panel removal






Service

- Panels easily removed and all components accessible for service.
- Removable/cleanable air filters.
- Allow 6" (15cm) clearance at rear, sides, and top for proper air circulation and ease of maintenance/service.


Plumbing


- Icemaker Water Supply Line: Minimum 3/8" Nominal DI Copper Water Tubing or Equivalent
- Icemaker Drain Line: Minimum 3/4" Nominal DI Hard Pipe or Equivalent

Cube Dimensions




Approximate Size in inches, image not to scale.





BLUENIX

| CE DROP | OPENING | OPENING | 14.5(9/16°) DIA | 14.5(9/16°) DIA



	Ice Prod	uction	
Air / Water Temp Lbs. per 24 hrs		Per Cycle	
70°/50°F	90°/70°F	Lbs	Cubes
1419lbs	1327lbs	31.2lbs	1,440
	Air 90°F / V	Vater 70°F	
KWH per 100 lbs.		Portable Water Gal. per 100lbs	
3.85 kWh		14.7 gal	

Bottom view

Condenser Air-Cooled

Amperage 15A

Voltage V/HZ/PH 208-230V / 60Hz

Shipping Weight 227 lbs / 103 kg

Energy Star Yes

Operating Limits

Ambient Temp Range: 45 - 100° F

Water Temp Range: 45 - 90° F

Water Pressure: 30 - 100 PSIG

Voltage Range: 100 - 130V

BLUE AIR has right to change specifications without further notice.



This product may exprose you to chemicals including Diisononyl Phthalate(DINP), which is known to the State of California to cause cancer. For more information go to www.P65War nings.ca.gov.





orders@blueairfse.com



1.886.677.8500