# JDF-2S Lit Door

33.1" x 25.5" x 10.0" (84.1cm x 64.8cm x 25.4cm)



- Patented High Intensity Mixing System delivers consistent quality in the cup --- cup after cup, from the top of the cup to the bottom
- 7" (17.8cm) cup clearance accommodates most juice containers
- Both push-and-hold dispense and optional single size portion control dispense available in the same machine
- Quick dispense with 1.0 to 1.5oz (29.6 to 44.4ml) per second flow rate
- One dispenser delivers both frozen and ambient products, to maximize profitability by providing greater flexibility in product offerings
- 8lb (3.6kg) ice bank provides superior cold drink capacity
- Service friendly design makes set up and maintenance simple
- LED lighted door graphics bring high visibility to front-of-house applications

Agency:

## Servers and airpots sold separately

#### **Specifications**

Product #: 37900.0008

Flavors: 2 Flavors

Water Access: Plumbed

Finish: Black

Door: Lit

# **Additional Features**

Refrigerant: R-134A

Ice Bank: 8.00 lbs (3.629 kgs)

Dispense: Single Size Portion Control

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	4.5	540	Yes	NEMA 5-15P	-	60°F (15.5°C)	1	2	60

### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-100	138-689	3/8" Male Flare Fitting	-				

#### **CAD Drawings**


2D	Revit	KLC
•		

Created on:

07/20/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	10.0 in.	33.1 in.	25.5 in.	-	-	-	115.110 lbs	-
Metric	25.4 cm	84.1 cm	64.8 cm	-	-	-	52.214 kgs	-



## Related Products & Accessories: JDF-2S Lit Door(37900.0008)















