Sure Tamp Steam

29.8" x 25.0" x 12.4" (75.7cm x 63.5cm x 31.5cm)



Servers and airpots sold separately

- Two hoppers allow for your choice of fresh espresso beans
- Dispense spout accommodates cups up to 20oz
- Stylish design fits into any decor
- Ideal for the quick serve restaurant, full service restaurant, lodging/ hospitality, college and university, amusement and leisure, office system, convenience store and specialty retail/bar environments
- Sure Tamp maintains constant and consistent tamping pressure throughout the shot cycle
- Build-A-Drink[™] menu with beautiful graphics guides the operator
- Picture Prompted Cleaning[™] daily process with reminder and lockout
- Small footprint
- BUNNlink® machine to machine monitoring system
- Intellisteam® wand automatically steams to proper milk temperature - no need to monitor with a thermometer
- Ability to steam .5L of milk in under one minute

Agency:





Additional Features

Specifications

Product #: 43400.0036

Steps: 2 Steps

Water Access: Plumbed

Electrical & Capacity

Volts	s Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
208	20.4	4300	Yes	NEMA L6-30P	-	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC

Created on:

07/28/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



	Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume		
English	12.4 in.	29.8 in.	25.0 in.	-	-	-	127.000 lbs	-		
Metric	31.5 cm	75.7 cm	63.5 cm	-	-	-	57.607 kgs	-		



Related Products & Accessories: Sure Tamp Steam (43400.0036)







Product #: 36000.1189























