ICB Twin SH PE, 120/240V SST W/ Wireless

32.8" x 23.0" x 21.9" (83.3cm x 58.4cm x 55.6cm)



- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- ICB Twin SH 53600.0100 is compatible with new Infusion SH servers, new TF 1.5-gallon ThermoFresh® Servers (with Base), all previous generations of TF 1.5-gallon TF Servers (with Base) and Titan® 1.5-gallon servers
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Wireless Server monitoring
- USB port for easy programming
- Fast flow hot water faucet
- Stainless steel brew baskets provide durability and ease of cleaning
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- New Infusion Soft Heat® servers [sold separately] are ergonomic, lighter weight, energy efficient and now offer programmable recipe/ batch based holding times and temperatures, alerting staff when freshness has expired or server is empty

Agency:



Additional Features

Specifications

Product #: 53600.0100 Water Access: Plumbed Interface: Wireless Finish: Stainless Funnel: Black Plastic Faucet: Side Legs: 4" Stainless Steel Legs

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	280	60°F (15.5°C)	1	3	60

Plumbing Requirements

CAD Drawings


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	1.00	•		

For most current specifications and other info visit bunn.com.



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

Created on: 01/11/2019



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	21.9 in.	32.8 in.	23.0 in.	25.9 in.	37.1 in.	28.1 in.	104.350 lbs	15.626 ft ³	
Metric	55.6 cm	83.3 cm	58.4 cm	65.8 cm	94.2 cm	71.4 cm	47.333 kgs	0.442 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/11/2019

 For most current specifications and other info visit bunn.com.
 01/11/2019

Related Products & Accessories: ICB Twin SH PE, 120/240V SST W/Wireless (53600.0100)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/11/2019

 For most current specifications and other info visit bunn.com.
 01/11/2019

Serving & Holding Options: ICB Twin SH PE, 120/240V SST W/Wireless(53600.0100)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/11/2019

 For most current specifications and other info visit bunn.com.
 01/11/2019