WEQ-SFTN3500(1)10 TEA

Height: 23.05" Width: 6.12" Depth: 5.54" (58.5cm) (15.5cm) (14.1cm)



- Sanitary quick connect valve-in-head design simultaneously shuts off and vents water with ¼ turn, allowing for simple cartridge change-outs and maintenance times
- Unique modular filter head manifold design allows for simple installation, customization, and future system expansion
- Auto-leveling technology ensures perfect installation every time
- · Integrated carbon block to reduce chlorine taste and odor
- Perfect for iced and hot tea brewers where hard water can affect tea clarity, taste, and stand time
- Minimizes service maintenance and equipment downtime with 3,500 grains of hardness reduction
- Includes single stage filter head assembly with manifold bracket, 3/8" MNPT fittings and 1/4" quick-connect rinse valve

NOTE: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

Specifications

Product #: 56000.0030

Application(s): Tea, Steamers, Espresso, Backroom Package/Combo System

Filtration Type: Softener POU, Lime

Capacity

 Micron Rating
 Service Flow Rate
 Water Filter Capacity Chlorine Reduction
 Water Filter Capacity Chloramine Reduction
 Water Filter Capacity Softening

 10.0
 1.0 gal/min (3.8 L/min)
 Image: Capacity Chlorine Reduction
 Image: Capacity Chlorine Reduction
 Image: Capacity Chlorine Reduction

Plumbing Requirements

Inlet Connection	Outlet Connection	Min Operating Pressure	Max Operating Pressure	Min Operating Temperature	Max Operating Temperature	
3/8 IN	3/8 IN 3/8 IN		125 psi (862 kPa)	40°F(4°C)	100°F(38°C)	



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle


Last Updated: 01/26/2022

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Cartridge Type: Quick Change

Replacement Cartridge: 56000.0129


Filter Change Frequency: Annual



Dimensions of Filter System (filter head with filter cartridge)			Installed Dimensions (Installation with wall mounting)			Cartridge Dimensions (filter cartridge only)			
	Height	Width	Depth	Height	Width	Depth	Height	Width	Depth
English	23.05 in.	6.12 in.	5.54 in.	-	-	-	20.56 in.	4.53 in.	4.53 in.
Metric	58.5 cm	15.5 cm	14.1 cm	-	-	-	52.2 cm	11.5 cm	11.5 cm

Weight			Shipping					
	Dry	Wet	Height	Width	Depth	Weight	Volume	
English	0.0 lbs	0.0 lbs	8.00 in.	18.00 in.	24.00 in.	10.250 lbs	-	
Metric	-	-	20.3 cm	45.7 cm	61.0 cm	4.649 kgs	-	

WARRANTY: BUNN High Performance Water Filtration Solutions Systems by BUNN® (excluding water filters and water treatment replacement cartridges) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase, under normal use and service, and when installed in accordance with manufacturer's recommendations outlined in the filtration systems owner's manual. BUNN replaceable elements (water treatment cartridges, filter elements, and feeder elements) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase or the remainder of the original warranty, whichever is longer. See printed warranty for full details. BUNN will provide a copy of the warranty upon request.



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle Last Updated:

01/26/2022

For most current specifications and other info visit bunn.com.

Related Products & Accessories: WEQ-SFTN3500(1)10 TEA(56000.0030)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/26/2022

 For most current specifications and other info visit bunn.com.
 01/26/2022

Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.



 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Last Updated:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 01/26/2022

 For most current specifications and other info visit bunn.com.
 01/26/2022