#### WEQ-SCALE-PRO.X

Height: 10.20" Width: 2.79" Depth: 2.25" (25.9cm) (7.1cm) (5.7cm)



- Reduces lime scale formation from hard water in applications where water is either heated or evaporated
- Extends the life and increases efficiency of coffee brewers, ice machines, and steamers
- Engineered force-feeding orifice accurately controls feed rate without overdosing
- ¾" NPT stainless steel connections easily adapt to most plumbing systems
- Working flow rate of up to 10 GPM (37.8 lpm) accommodates most high volume foodservice environments
- FDA-CFR and NSF compliant materials
- · Recommended for use in combination with WEQ (non-L) Systems

**NOTE**: Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

## **Specifications**

Product #: 56000.0033 Cartridge Type: Quick Change

Application(s):Steamers, Ice, Coffee, Backroom Package/Combo SystemReplacement Cartridge: 56000.0120

Filtration Type: Lime Inhibitor Filter Change Frequency: Every 6 months

#### Capacity


Micron Rating	Service Flow Rate	Water Filter Capacity Chlorine Reduction	Water Filter Capacity Chloramine Reduction	Water Filter Capacity Softening	
10.0	10.0 gal/min (37.9 L/min)	-	-	-	

## Plumbing Requirements

Inlet Connection	Outlet Connection	Min Operating Pressure	Max Operating Pressure	Min Operating Temperature	Max Operating Temperature
3/4 IN	3/4 IN	20 psi (138 kPa)	125 psi (862 kPa)	40°F(4°C)	100°F(38°C)

MARNING:





Dimensions of Filter System (filter head with filter cartridge)				Installed Dimensions (Installation with wall mounting)			Cartridge Dimensions (filter cartridge only)		
	Height	Width	Depth	Height	Width	Depth	Height	Width	Depth
English	10.20 in.	2.79 in.	2.25 in.	-	-	-	8.44 in.	2.25 in.	2.25 in.
Metric	25.9 cm	7.1 cm	5.7 cm	-	-	-	21.4 cm	5.7 cm	5.7 cm

Weight			Shipping					
	Dry	Wet	Height	Width	Depth	Weight	Volume	
English	0.0 lbs	0.0 lbs	4.00 in.	5.30 in.	9.80 in.	2.200 lbs	-	
Metric	-	-	10.2 cm	13.5 cm	24.9 cm	0.998 kgs	-	

WARRANTY: BUNN High Performance Water Filtration Solutions Systems by BUNN® (excluding water filters and water treatment replacement cartridges) are covered by a limited warranty against defects in material and workmanship for a period of five years after date of purchase, under normal use and service, and when installed in accordance with manufacturer's recommendations outlined in the filtration systems owner's manual. BUNN replaceable elements (water treatment cartridges, filter elements, and feeder elements) are covered by a limited warranty against defects in material and workmanship for a period of one year after date of purchase or the remainder of the original warranty, whichever is longer. See printed warranty for full details. BUNN will provide a copy of the warranty upon request.



# Related Products & Accessories: WEQ-SCALE-PRO.X(56000.0033)







# Model Compatibility: WEQ-SCALE-PRO.X(56000.0033)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

