

Project:	Quantity:
Model #:	Approval:

For Commercial Use Only

Coldline G2-B 49" Two Glass Door Merchandiser Refrigerator with LED Lighting, Black



FEATURES

- 49" black swing glass door merchandiser refrigerator
- Double pane self-closing glass doors
- Easy to use digital temperature controls
- High-density polyurethane insulation preserves cold air
- Temperature range: 32-41 degrees F
- Brilliant LED lights
- Independent LED switch
- Ergonomic door handles
- Automatic defrost
- Magnetic door gasket
- 8 heavy-duty, adjustable PVC-coated shelves
- Pre-installed low-profile casters, 2 with brakes
- Bottom mounted refrigeration system
- 90" length power cord, NEMA 5-15P plug
- Hydro-Carbon R290 refrigerant



CE

USR Brands is a US supplier of premium quality commercial cooking, refrigeration and food preparation equipment. Our aim is simple. Produce industry-leading commercial restaurant equipment at reasonable prices, and back it all up with an easy to understand, no nonsense warranty that people can count on.

Project:	Quantity:
Model #:	Approval:

For Commercial Use Only

TECHNICAL DATA

DIMENSIONS

Exterior Dimensions	49.21"W x 28.35"D x 80.51"H
Interior Dimensions	45.28"W x 23.3"D x 60.8"H
Packaging Dimensions	51.6"W x 30.7"D x 83"H
Net Volume	34 cu. ft.
Unit Weight	364 lb.
Shipping Weight	390 lb.

ELECTRICAL

Voltage	110
Hertz	60
Phase	1
Amps	6.3
Plug Type	NEMA 5-15P
Power Cord Length	90"

COOLING

Temperature Range	32°F to 41°F
Refrigerant	R290
Max. Ambient Temp	100°F
Defrosting	Automatic
Temperature Controller	Digital
Horsepower	1/5

CONSTRUCTION

Exterior Material	Coated Steel
Exterior Color	Black
Interior Material	Coated Steel
Insulation Material	Foamed-in-Place Polyurethane
Door Style	Swing
Door Type	Glass
Shelf Size	(8) 21.7"W x 20.35"D
Shelf Load Capacity	100 lb.
Shelf Material	Epoxy Coated Steel
Adjustable Shelf	Yes
Interior Light	(2) L.E.D
Mobility Wheels/Casters	Pre-installed Casters, 2 with Brakes




TECHNICAL DRAWING

MODEL: G2-B

MFR ITEM #:



NEMA 5-15P



Coldline G4-B 98" Four Glass Door Merchandiser Refrigerator with LED Lighting, Black



FEATURES

- 98" black swing glass door merchandiser refrigerator
- Four Low-E double pane thermal insulated glass doors
- Easy to use digital temperature controls
- High-density polyurethane insulation preserves cold air
- Temperature range: 32-41 degrees F
- 5 vertical brilliant LED lights
- Independent LED switch
- Ergonomic door handles
- Automatic defrost
- Magnetic door gasket
- 16 heavy-duty, adjustable PVC-coated shelves
- 10 pre-installed low-profile casters, 2 leveling feet
- Anti-fogging tempered self-closing glass doors
- Bottom mounted refrigeration system
- 90" length power cord, NEMA 5-15P plug
- Hydro-Carbon R290 refrigerant



CE

USR Brands is a US supplier of premium quality commercial cooking, refrigeration and food preparation equipment. Our aim is simple. Produce industry-leading commercial restaurant equipment at reasonable prices, and back it all up with an easy to understand, no nonsense warranty that people can count on.

Project:	Quantity:
Model #:	Approval:

For Commercial Use Only

TECHNICAL DATA

DIMENSIONS

Exterior Dimensions	98.43"W x 28.35"D x 80.51"H
Interior Dimensions	94.5"W x 23.3"D x 60.8"H
Packaging Dimensions	100.7"W x 30.7"D x 83"H
Net Volume	70 cu. ft.
Unit Weight	695 lb.
Shipping Weight	834 lb.

ELECTRICAL

Voltage	110
Hertz	60
Phase	1
Amps	11.8
Plug Type	NEMA 5-15P
Power Cord Length	90"

COOLING

Temperature Range	32°F to 41°F
Refrigerant	R290
Max. Ambient Temp	100°F
Defrosting	Automatic
Temperature Controller	Digital
Horsepower	(2) 1/4

CONSTRUCTION

Exterior Material	Coated Steel
Exterior Color	Black
Interior Material	Coated Steel
Insulation Material	Foamed-in-Place Polyurethane
Door Style	Swing
Door Type	Glass
Shelf Size	(8) 21.7"W x 20.35"D (8) 24.2"W x 20.35"D
Shelf Load Capacity	100 lb.
Shelf Material	Epoxy Coated Steel
Adjustable Shelf	Yes
Interior Light	(5) L.E.D
Mobility Wheels/Casters	10 Pre-installed Casters, 2 Leveling Feet

TECHNICAL DRAWING

MODEL: G4-B

MFR ITEM #:



NEMA 5-15P

