

### G3-B 74" Three Glass Door Merchandiser Refrigerator with LED Lighting, Black



#### FEATURES

- 74" black swing glass door merchandiser refrigerator
- Double pane self-closing glass doors
- Easy to use digital temperature controls
- High-density polyurethane insulation preserves cold air
- Temperature range: 32-41 degrees F
- Brilliant LED lights
- Independent LED switch
- Ergonomic door handles
- Automatic defrost
- Magnetic door gasket
- 12 heavy-duty, adjustable PVC-coated shelves
- Pre-installed low-profile casters
- Bottom mounted refrigeration system
- 90" length power cord, NEMA 5-15P plug
- Hydro-Carbon R290 refrigerant



CE

USR Brands is a US supplier of premium quality commercial cooking, refrigeration and food preparation equipment. Our aim is simple. Produce industry-leading commercial restaurant equipment at reasonable prices, and back it all up with an easy to understand, no nonsense warranty that people can count on.

Project:	Quantity:
Model #:	Approval:

For Commercial Use Only

### TECHNICAL DATA

#### DIMENSIONS

Exterior Dimensions	74.02"L x 28.35"D x 80.51"H
Interior Dimensions	70.07"L x 23.3"D x 60.8"H
Packaging Dimensions	76.38"L x 30.7"D x 83"H
Net Volume	52.24 cu. ft.
Unit Weight	492 lb.
Shipping Weight	545 lb.

#### ELECTRICAL

Voltage	110
Hertz	60
Phase	1
Amps	7.3
Plug Type	NEMA 5-15P
Power Cord Length	90"

#### COOLING

Temperature Range	32°F to 41°F
Refrigerant	R290
Max. Ambient Temp	100°F
Defrosting	Automatic
Temperature Controller	Digital
Horsepower	1/2

#### CONSTRUCTION

Exterior Material	Coated Steel
Exterior Color	Black
Interior Material	PCM
Insulation Material	Foamed-in-Place Polyurethane
Door Style	Swing
Door Type	Glass
Shelf Size	(8) 21.7"L x 20.35"D (4) 24.2"L x 20.35"D
Shelf Load Capacity	100 lb.
Shelf Material	Epoxy Coated Steel
Adjustable Shelf	Yes
Interior Light	(4) L.E.D
Mobility Wheels/Casters	(10) Pre-installed Casters




### TECHNICAL DRAWING

MODEL: G3-B

MFR ITEM #:



NEMA 5-15P



### Coldline G4-B 98" Four Glass Door Merchandiser Refrigerator with LED Lighting, Black



#### FEATURES

- 98" black swing glass door merchandiser refrigerator
- Four Low-E double pane thermal insulated glass doors
- Easy to use digital temperature controls
- High-density polyurethane insulation preserves cold air
- Temperature range: 32-41 degrees F
- 5 vertical brilliant LED lights
- Independent LED switch
- Ergonomic door handles
- Automatic defrost
- Magnetic door gasket
- 16 heavy-duty, adjustable PVC-coated shelves
- 10 pre-installed low-profile casters, 2 leveling feet
- Anti-fogging tempered self-closing glass doors
- Bottom mounted refrigeration system
- 90" length power cord, NEMA 5-15P plug
- Hydro-Carbon R290 refrigerant



CE

USR Brands is a US supplier of premium quality commercial cooking, refrigeration and food preparation equipment. Our aim is simple. Produce industry-leading commercial restaurant equipment at reasonable prices, and back it all up with an easy to understand, no nonsense warranty that people can count on.

Project:	Quantity:
Model #:	Approval:

For Commercial Use Only

### TECHNICAL DATA

#### DIMENSIONS

Exterior Dimensions	98.43"L x 28.35"D x 80.51"H
Interior Dimensions	94.5"L x 23.3"D x 60.8"H
Packaging Dimensions	100.7"L x 30.7"D x 83"H
Net Volume	70 cu. ft.
Unit Weight	695 lb.
Shipping Weight	834 lb.

#### ELECTRICAL

Voltage	110
Hertz	60
Phase	1
Amps	11.8
Plug Type	NEMA 5-15P
Power Cord Length	90"

#### COOLING

Temperature Range	32°F to 41°F
Refrigerant	R290
Max. Ambient Temp	100°F
Defrosting	Automatic
Temperature Controller	Digital
Horsepower	(2) 1/4

#### CONSTRUCTION

Exterior Material	Coated Steel
Exterior Color	Black
Interior Material	Coated Steel
Insulation Material	Foamed-in-Place Polyurethane
Door Style	Swing
Door Type	Glass
Shelf Size	(8) 21.7"L x 20.35"D (8) 24.2"L x 20.35"D
Shelf Load Capacity	100 lb.
Shelf Material	Epoxy Coated Steel
Adjustable Shelf	Yes
Interior Light	(5) L.E.D
Mobility Wheels/Casters	10 Pre-installed Casters, 2 Leveling Feet

### TECHNICAL DRAWING

MODEL: G4-B

MFR ITEM #:



NEMA 5-15P

