

SCR1225B



34.38" x 11.88" x 22.38" (H x W x D)

12" wide built-in undercounter commercial beverage center with lock, digital thermostat, and LED lighting

Highlights:

Flexible design allows built-in or freestanding use under counters

Commercially listed to NSF-7 standards and meets UL-471

Triple pane glass door provides full visibility while protecting stored items

Product Features:

| | |
|--------------------------------------|---|
| Built-in capable | Make the best use of space by installing your appliance under the counter |
| Commercially approved | Meets UL Commercial Standard 471 and is ETL-S listed to NSF-7 commercial standards |
| Glass door with stainless steel trim | Provides a full display of stored contents with a heat-safe triple pane tempered design |
| Factory installed lock | Keyed security on the door |
| Digital thermostat | Electronic controls for precise temperature management. |
| Digital display | Temperature readout can be shown in Celsius or Fahrenheit |
| LED lighting | Gentle illumination with an on/off switch |
| Automatic defrost | Reduced maintenance with the convenience of auto defrost |
| Adjustable chrome shelves | Slide-out shelves offer attractive and convenient storage for beverages |



SCR1225B Specifications:

| Overview | |
|----------------------------|-----------------------|
| Height of Cabinet | 34.38" (87 cm) |
| Width | 11.88" (30 cm) |
| Depth | 22.38" (57 cm) |
| Depth with Handle | 24.13" (61 cm) |
| Depth with door at 90° | 33.0" (84 cm) |
| Capacity | 2.2 cu.ft. (62 L) |
| Defrost Type | Automatic |
| Door | Glass |
| Cabinet | Black |
| US Electrical Safety | ETL |
| Canadian Electrical Safety | ETL-C |
| Sanitation | ETL-S |
| Amps | 1.25 |
| Voltage/Frequency | 115 V AC/60 Hz |
| Weight | 66.0 lbs. (30 kg) |
| Shipping Weight | 70.0 lbs. (32 kg) |
| Parts & Labor Warranty | 1 Year |
| Compressor Warranty | 5 Years |
| Refrigerator Features | |
| Door Swing | RHD |
| Reversible | Yes |
| Shelf Type | Chrome |
| Shelf Qty | 4 |
| Adjustable Shelves | Yes |
| Thermostat Type | Digital |
| Fan Type | Interior and Exterior |
| Refrigerant Type | R600a |
| Refrigerant Amount | 0.88oz. |
| High Side PSI | 150.0 |
| Low Side PSI | 50.0 |
| Level Legs Qty | 4 |
| Interior Light | Yes |
| Dimensions | |
| Interior Height | 25.0" (64 cm) |
| Interior Width | 9.13" (23 cm) |
| Interior Depth | 17.0" (43 cm) |
| Compressor Step Height | 3.75" (10 cm) |

| | |
|-----------------------|---------------|
| Compressor Step Width | 9.13" (23 cm) |
| Compressor Step Depth | 4.5" (11 cm) |



